













) T-SHIRT V040.13 (S) - V041.13 (M) - V042.13 (L) - V043.13 (XL) - V256.13 (XXL) - V255.13 (XXXL)



NHOODIEV262 (XS) - V263 (S) - V264 (M) - V265 (L) - V266 (XL) - V267 (XXL) - V268 (XXXL)







SHERCO



▶| **STICKER** (5038)

▶| STICKER (5037)

) SOFT SHELL V252.13 (S) - V251.13 (M) - V250.13 (L) - V249.13 (XL) - V248.13 (XXL) - V247.13 (XXXL)





www.sherco.com

AUTHORIZED DEALER







	nn	hite
		DITO
	II N	
JIII	 	

SM 50R Black

SM 50R Blue

SE 50R Blue

Engine	2-stroke technology Minarelli AM6						
Displacement	49.70 cc (3.03 cu in)						
Bore x Stroke	40.30 x 39 mm (1.59 x 1.54 in)						
Cylinder lubrication	Automatic mix, unleaded 95 octane fuel						
Cooling	Closed circuit with constant circulation						
Start	Kick start, gear system with retractable lever						
Carburetor	Dell'Orto						
Exhaust	Aluminum silencer with steel exhaust chamber						
Transmission	6 speed gearbox						
Clutch fluid	Multidisc in oil bath						
Ignition	12 V 85 W						
Chassis	Chrome-moly steel multi tube						
Tank	Made from plastic with a 7 L capacity (1.85 US gal)						
Brakes	Hydraulic	Hydraulic disc 300 mm (11.81 in) front and 180 mm (7.09 in) rear					
Front suspension	37 mm (1.46 in) Ø telescopic						
Rear Suspension	Paioli Mono-shock adjustable for preload						
Front wheel		1.60 x 21"					
Rear wheel		2.15 x 18"					
Weight	83 kg (182.98 lb)						
Wheelbase	1360 mm (53.54 in.)						
Ground clearance		300 mm (12.99 in)					
Seat height		910 mm (35.83 in)					